

L Number	Hits	Search Text	DB	Time stamp
-	2	(access\$3 same method) and (open\$5) and (request\$3 same proce\$5 same (device or interface)) and (context adj identifier) and (area same stor\$4 same request\$3) and (map\$5 same memory) and register and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 14:24
-	0	((access\$3 same method) and (open\$5) and (request\$3 and proce\$5 and (device or interface)) and (context adj identifier) and (area and stor\$4 and request\$3) and (map\$5 same memory) and register).drwd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 14:58
-	1	((access\$3 same method) and (open\$5) and (request\$3 and proce\$5 and (device or interface)) and (context adj identifier) and (area and stor\$4 and request\$3) and (map\$5 same memory) and register).detd. and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:07
-	5	((access\$3 same method) and (open\$5) and (request\$3 and proce\$5 and (device or interface)) and (context adj identifier) and (area and stor\$4 and request\$3) and (map\$5 same memory) and register) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 14:24
-	1	6321310.pn. and access\$3 and method and request\$3 and open\$5 and (procedure or process) and ((operating adj system) or os)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:38
-	1	6321310.pn. and allocat\$3 and ((operating adj system) or os) and request\$3 and stor\$3 and area and map\$5 and memory and address\$3 and register and request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:57
-	0	6321310.pn. and ((unprocess\$3 or not-process\$3 or process\$3) same request) and (context adj identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:58
-	0	6321310.pn. and ((unprocess\$3 or not-process\$3 or process\$3) same request\$3) and (context adj identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:58
-	0	6321310.pn. and ((unprocess\$3 or not-process\$3 or process\$3) and request\$3) and (context adj identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:58
-	0	(register same (context adj identifier) same request\$3 same map\$5 same ((unprocess\$3 or not-process\$3 or unattended) near4 request\$3)) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 15:59
-	0	(register same (context adj identifier) same request\$3 same map\$5 same ((unprocess\$3 or not-process\$3 or unattend\$3 or unservic\$3) near4 request\$3)) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 16:00
-	0	(register same (context adj identifier) same request\$3 same map\$5 same ((unprocess\$3 or not-process\$3 or unattend\$3 or unservic\$3 or incomplete) near4 request\$3)) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 16:00
-	0	(register same (context adj identifier) same request\$3 same map\$5 same ((unprocess\$3 or not-process\$3 or unattend\$3 or unservic\$3 or incomplete) same request\$3)) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 16:21

		45	(method same address\$3 same decod\$3) and (select\$3 same object) and (physical near4 address\$3) and identifi\$6 and application and process and @ad<19990909	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/23 14:23
-		1	(method same address\$3 same decod\$3) and (select\$3 same object) and (physical near4 address\$3) and identifi\$6 and application and process and @ad<19990909 and ((object adj device) same select\$3)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/22 16:25
-		19	(method same address\$3 same decod\$3) and (select\$3 same object) and (physical near4 address\$3) and identifi\$6 and application and process and @ad<19990909 and (object adj device)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/23 14:24
-		1	6081854.pn. and address\$3 and decod\$3 and method and physic\$5 and object and device and computer and system	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/22 16:40
-		1	6081854.pn. and (object near4 device) and object and (physical adj address\$3) and decod\$3	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/22 16:45
-		0	6081854.pn. and (object near4 device) and object and (physical adj address\$3) and decod\$3 and identidier	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/22 16:45
-		0	6081854.pn. and (object near4 device) and object and (physical adj address\$3) and decod\$3 and identifier	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/22 16:45
-		0	6081854.pn. and (object near4 device) and object and (physical adj address\$3) and decod\$3 and id	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/22 16:45
-		1	6081854.pn. and (object near4 device) and object and (physical adj address\$3) and decod\$3 and identifi\$6	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/22 17:30
-		1	6081854.pn. and (object near4 device) and object and (physical adj address\$3) and decod\$3 and identifi\$6 and address and name	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/23 14:02
-		0	6081854.pn. and (identifier or id)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/23 14:02
-		1	6081854.pn. and (nam\$3)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT;	2003/09/23 14:02
-		0	(access\$3 same method) and (open\$5) and (request\$3 same proce\$5 same (device or interface)) and (context adj identifier) and (area same stor\$4 same request\$3) and (map\$5 same memory) and register and @ad<19990909 and (710/3.cccls. or 710/5.cccls. or 710/29.cccls. or 710/33.cccls. or 710/36.cccls. or 711/100.cccls. or 711/200.cccls. or 712/400.cccls. or 709/233.cccls. or 710/107.cccls. or 709/200.cccls.)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 14:25

-		1	((access\$3 same method) and (open\$5) and (request\$3 and proce\$5 and (device or interface)) and (context adj identifier) and (area and stor\$4 and request\$3) and (map\$5 same memory) and register) and @ad<19990909 and (710/3.cccls. or 710/5.cccls. or 710/29.cccls. or 710/33.cccls. or 710/36.cccls. or 711/100.cccls. or 711/200.cccls. or 712/400.cccls. or 709/233.cccls. or 710/107.cccls. or 709/200.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 14:32
-		13	(method same address\$3 same decod\$3) and (select\$3 same object) and (physical near4 address\$3) and identifi\$6 and application and process and @ad<19990909 and (710/3.cccls. or 710/5.cccls. or 710/29.cccls. or 710/33.cccls. or 710/36.cccls. or 711/100.cccls. or 711/200.cccls. or 712/400.cccls. or 709/233.cccls. or 710/107.cccls. or 709/200.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 16:41
-		12	(method same address\$3 same decod\$3) and (select\$3 same object) and (physical near4 address\$3) and identifi\$6 and application and process and @ad<19990909 and (object adj device) and (710/3.cccls. or 710/5.cccls. or 710/29.cccls. or 710/33.cccls. or 710/36.cccls. or 711/100.cccls. or 711/200.cccls. or 712/400.cccls. or 709/233.cccls. or 710/107.cccls. or 709/200.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 16:42